

Premium Architectural Colour Selector

The Premium Architectural Colour Selector features products suitable for use on interior and exterior applications. It includes warrantable products up to 35 years durability.



INTERIOR	•	•	•	•	•	•	•
EXTERIOR	•	•	•	•	•	•	•

DGL World of Colour™
Powder Coat Series

DGL
INTERNATIONAL

Premium Product Range

RANGE	COLOUR NAME	FINISH	LOOK	COLORBOND®	PRODUCT CODE	R	G	B	LRV#	SPECULAR LIGHT
										REFLECTANCE#
Charisma	Basalt®	Flat	Solid Colour	CB	6C07645F	97	99	100	12	0.6
Charisma	Black Ace	Flat	Solid Colour		6C09116F	59	59	60	4	0.2
Charisma	Bluegum®	Flat	Solid Colour	CB	6C07910F	146	151	156	31	0.2
Charisma	Dune®	Flat	Solid Colour	CB	6C07673F	181	173	164	43	0.7
Charisma	Flat White	Flat	Solid Colour		6C01200F	241	244	242	90	1.7
Charisma	Monument®	Flat	Solid Colour	CB	6C09239F	71	70	69	6	0.4
Charisma	Shale Grey™	Flat	Solid Colour	CB	6C07672F	191	193	188	53	0.6
Charisma	Surfmist®	Flat	Solid Colour	CB	6C02276F	212	212	206	66	0.9
Duratec Elements ₂	Black (Night Sky®)	Flat	Textured	CB	6E09190F	59	60	60	5	0.4
Duratec Elements ₂	Dark Bronze	Flat	Textured		6E18184F	71	67	64	6	0.6
Duratec Elements ₂	Gold Ore	Flat	Textured		6E12270F	190	143	76	31	0.6
Duratec Elements ₂	Granite	Flat	Textured		6E17888F	170	172	169	41	0.6
Duratec Elements ₂	Magnetite	Flat	Textured		6E17725F	74	75	77	7	0.3
Duratec Elements ₂	Monument®	Flat	Textured	CB	6E07724F	79	80	81	8	0.3
Duratec Elements ₂	Natural Bronze Kinetic™	Flat	Textured		6E28341F	113	97	82	13	0.1
Duratec Elements ₂	Silver	Flat	Textured		6E17756F	161	163	161	37	0.5
Duratec Elements ₂	Stone	Flat	Textured		6E13245F	191	176	160	45	0.5
Duratec Elements ₂	Surfmist®	Flat	Textured	CB	6E01330F	217	216	209	69	0.6
Duratec Elements ₂	Weathered Steel	Flat	Textured		6E18340F	102	75	66	8	0.5
Duratec Elements ₂	White	Flat	Textured		6E01373F	241	242	240	89	0.7
Duratec Eternity	Bronze Pearl Kinetic™	Satin	Pearlescent		6T28356S	96	87	76	10	2.9
Duratec Eternity	Chain Pearl	Matt	Pearlescent		6T17761M	171	172	169	41	2.8
Duratec Eternity	Champagne Kinetic™	Matt	Pearlescent		6T23059M	152	141	130	28	2.2
Duratec Eternity	Charcoal Pearl	Satin	Pearlescent		6T17762S	68	67	67	6	3.2
Duratec Eternity	Citi Silver Pearl	Matt	Pearlescent		6T17024M	176	182	185	46	3.0
Duratec Eternity	Copper Metallic Kinetic™	Matt	Pearlescent		6T27183M	159	148	138	31	2.4
Duratec Eternity	Fine Gold Pearl Kinetic™	Matt	Pearlescent		6T28360M	183	147	89	32	2.7
Duratec Eternity	Gunmetal Metallic Kinetic™	Matt	Pearlescent		6T28115M	104	102	100	14	1.7
Duratec Eternity	Linen Pearl	Satin	Pearlescent		6T11138S	227	224	217	75	4.2
Duratec Eternity	Midnight Pearl	Matt	Pearlescent		6T17835M	74	73	74	7	1.5
Duratec Eternity	Ethereal Pearl	Matt	Pearlescent		6T17797M	93	89	85	10	1.6
Duratec Eternity	Nickel Pearl	Matt	Pearlescent		6T17763M	170	161	150	36	2.8
Duratec Eternity	Pewter Pearl	Satin	Pearlescent		6T17764S	138	143	143	27	4.3
Duratec Eternity	Silver Pearl Kinetic™	Satin	Pearlescent		6T27160S	156	160	162	35	3.4
Duratec Eternity	Titanium Pearl Kinetic™	Satin	Pearlescent		6T27765S	107	109	107	15	3.1
Duratec Eternity	Vintage Copper Kinetic™	Matt	Pearlescent		6T28431M	138	112	88	18	2.4
Duratec Intensity	Coast	Satin	Bright		6N05233S	0	114	147	14	3.2
Duratec Intensity	Desert	Satin	Bright		6N04227S	137	69	62	10	2.5
Duratec Intensity	Evergreen	Satin	Bright		6N06005S	61	110	76	13	3.0
Duratec Intensity	Flame	Gloss	Bright		6N04007G	181	60	55	13	4.3
Duratec Intensity	Juicy Lime	Satin	Bright		6N06486S	181	195	97	50	2.7
Duratec Intensity	Leaf	Satin	Bright		6N06167S	96	145	79	24	2.8
Duratec Intensity	Moonlight	Satin	Bright		6N02004S	241	204	70	63	3.2
Duratec Intensity	Reef	Gloss	Bright		6N05011G	18	127	193	19	3.5
Duratec Intensity	Storm	Satin	Bright		6N05365S	52	68	93	6	3.0
Duratec Intensity	Sunshine	Gloss	Bright		6N02084G	233	175	66	48	4.3
Duratec Intensity	Tomcat	Gloss	Bright		6N04383G	196	96	69	21	3.9
Duratec Zeus	Appliance White	Satin	Solid Colour		6Z01341S	244	245	243	92	3.6
Duratec Zeus	Basalt®	Matt	Solid Colour	CB	6Z07865M	106	108	109	15	1.3
Duratec Zeus	Basalt®	Satin	Solid Colour	CB	6Z07865S	105	108	109	15	2.7
Duratec Zeus	Black	Matt	Solid Colour		6Z09202M	58	59	59	4	1.2
Duratec Zeus	Charcoal	Satin	Solid Colour		6Z07766S	74	77	80	7	2.6
Duratec Zeus	Dark Grey	Matt	Solid Colour		6Z07767M	73	79	82	8	1.5
Duratec Zeus	Dune®	Matt	Solid Colour	CB	6Z07558M	177	170	161	41	1.5
Duratec Zeus	Dune®	Satin	Solid Colour	CB	6Z07558S	178	170	161	41	2.9
Duratec Zeus	Graphite	Matt	Solid Colour		6Z09234M	67	70	72	6	1.8
Duratec Zeus	Grey	Satin	Solid Colour		6Z07768S	121	125	127	20	3.0
Duratec Zeus	Lunar Eclipse	Satin	Solid Colour		6Z09203S	58	59	59	4	3.0
Duratec Zeus	Lunar Grey	Matt	Solid Colour		6Z07769M	204	205	201	61	2.1
Duratec Zeus	Monument®	Matt	Solid Colour	CB	6Z08189M	80	81	81	8	1.7
Duratec Zeus	Monument®	Satin	Solid Colour	CB	6Z07307S	81	81	82	8	3.1
Duratec Zeus	Natural White™	Matt	Solid Colour		6Z01380M	240	236	229	85	2.2
Duratec Zeus	Pale Eucalypt®	Matt	Solid Colour	CB	6Z06127M	133	137	119	24	1.4
Duratec Zeus	Pale Eucalypt®	Satin	Solid Colour	CB	6Z06127S	134	139	120	22	2.5
Duratec Zeus	Paperbark®	Matt	Solid Colour	CB	6Z03174M	203	185	162	50	2.4
Duratec Zeus	Paperbark®	Satin	Solid Colour	CB	6Z02116S	205	187	165	51	3.1
Duratec Zeus	Shale Grey™	Matt	Solid Colour	CB	6Z07557M	185	186	183	49	1.7
Duratec Zeus	Shale Grey™	Satin	Solid Colour	CB	6Z07557S	185	187	183	50	3.0

RANGE	COLOUR NAME	FINISH	LOOK	COLORBOND®	PRODUCT CODE	R	G	B	LRV#	SPECULAR LIGHT
										REFLECTANCE#
Duratec Zeus	Silver Grey	Matt	Solid Colour		6Z07770M	178	182	184	47	2.0
Duratec Zeus	Surfmist®	Matt	Solid Colour	CB	6Z02266M	217	216	208	69	2.0
Duratec Zeus	Surfmist®	Satin	Solid Colour	CB	6Z02266S	218	216	208	69	3.3
Duratec Zeus	Talc	Satin	Solid Colour		6Z01344S	231	227	219	77	4.0
Duratec Zeus	Territory Red	Matt	Solid Colour		6Z04411M	143	82	66	12	1.5
Duratec Zeus	Timberland	Satin	Solid Colour		6Z07315S	99	98	93	12	2.8
Duratec Zeus	Very Terracotta	Matt	Solid Colour		6Z04352M	166	93	68	16	1.7
Duratec Zeus	Whisper White	Matt	Solid Colour		6Z01376M	237	235	226	83	2.7
Duratec Zeus	White	Gloss	Solid Colour		6Z01110G	245	247	243	93	5.0
Duratec Zeus	White	Matt	Solid Colour		6Z01110M	243	246	241	92	2.2
Duratec Zeus	Wilderness®	Matt	Solid Colour	CB	6Z06271M	110	121	109	18	1.4
Duratec Zeus	Wilderness®	Satin	Solid Colour	CB	6Z06458S	113	122	110	19	3.0
Electro	Aged Brass Kinetic™	Flat	Anodised		6L28430F	122	108	87	16	0.6
Electro	Brilliance Kinetic™	Flat	Anodised		6L28281F	116	107	97	15	1.1
Electro	Burnished Copper Kinetic™	Flat	Anodised		6L28185F	86	70	68	7	1.0
Electro	Dark Bronze Kinetic™	Flat	Anodised		6L28184F	72	66	62	6	0.7
Electro	Fresh Gold Kinetic™	Flat	Anodised		6L22208F	146	127	105	22	0.7
Electro	Gold Pearl Kinetic™	Flat	Anodised		6L22221F	165	138	94	27	0.8
Electro	Medium Bronze Kinetic™	Flat	Anodised		6L28183F	100	89	79	11	1.1
Electro	Natural Silver Kinetic™	Flat	Anodised		6L27365F	170	173	173	42	1.1
Electro	New Copper Kinetic™	Flat	Anodised		6L28432F	149	108	77	18	1.2
Electro	Pale Bronze Kinetic™	Flat	Anodised		6L28425F	132	119	103	19	1.6
Electro	Sensational Champagne Kinetic™	Flat	Anodised		6L23187F	148	138	126	26	1.3
Electro	Venerable Silver Kinetic™	Flat	Anodised		6L27621F	115	115	115	17	0.9
Fluoraset Allure	Champagne	Satin	Pearlescent		8A17302S	169	167	164	39	3.2
Fluoraset Allure	Coin	Satin	Pearlescent		8A17289S	172	177	179	44	2.9
Fluoraset Allure	Silver	Satin	Pearlescent		8A17273S	155	159	161	35	2.9
Fluoraset Xtreme	Basalt®	Matt	Solid Colour	CB	8X07475M	105	105	107	15	2.2
Fluoraset Xtreme	Black	Matt	Solid Colour		8X09204M	58	58	59	4	2.0
Fluoraset Xtreme	Charcoal	Matt	Solid Colour		8X07297M	75	78	81	8	1.9
Fluoraset Xtreme	Monument®	Matt	Solid Colour	CB	8X08148M	79	79	78	8	1.9
Fluoraset Xtreme	Surfmist®	Satin	Solid Colour	CB	8X01182S	217	216	210	69	3.5
Fluoraset Xtreme	White	Satin	Solid Colour		8X01157S	236	237	232	85	4.0

Light Reflectance Value (LRV): The total amount of visible light reflected from the coating, expressed as a percentage of total incoming light. Surfaces with higher light reflectance values appear lighter while surfaces with low light reflectance values appear darker.

Specular Light Reflectance: The portion of incoming light that is reflected such that the reflected ray is at the same angle to the surface normal as the incoming ray. Specular light reflection is expressed as a percentage of total incoming light. Surfaces with a lower specular reflection produce less glare as they scatter or absorb a greater portion of the incoming light.

For further information on light reflectivity visit dgpowders.com/spec-solutions

† Project type definitions:

- Non-habitable/Industrial projects are those that are not dwelling types. Examples can be furniture, bus shelters, signage etc.
- Residential properties < 4 levels are typically easy to maintain, given their height and access.
- Light commercial projects < 4 levels are sheltered from neighbouring buildings, but require greater durability due to higher usage and wear.
- High rise residential and commercial projects are less sheltered from neighbouring buildings, raising their exposure and reducing their ease of maintenance.
- Prestigious commercial projects attract attention and require high quality finishes to uphold the longevity and design requirements.
- Monumental projects attract the most attention and have the highest standards required to uphold the reputation and protection expected from landmark sites.

Premium Architectural Colour Selector

DURATEC™
ZEUS™ SOLID COLOUR RANGE



✓ AS 3715

✓ AAMA 2603

✓ AAMA 2604

On-trend solid colours including COLORBOND® steel colours, delivered with warranty grade* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.



WHISPER WHITE
Matt 6Z01376M



NATURAL WHITE™
Matt 6Z01380M



APPLIANCE WHITE
Satin 6Z01341S



WHITE
Matt 6Z01110M Gloss 6Z01110G



SURFMIST® CB
Matt 6Z02266M Satin 6Z02266S



TALC
Satin 6Z01344S



LUNAR GREY
Matt 6Z07769M



SILVER GREY
Matt 6Z07770M



DUNE® CB
Matt 6Z07558M Satin 6Z07558S



PAPERBARK® CB
Matt 6Z03174M Satin 6Z02116S



SHALE GREY™ CB
Matt 6Z07557M Satin 6Z07557S



GREY
Satin 6Z07768S



TIMBERLAND
Satin 6Z07315S



VERY TERRACOTTA
Matt 6Z04352M



PALE EUCALYPT® CB
Matt 6Z06127M Satin 6Z06127S



BASALT® CB
Matt 6Z07865M Satin 6Z07865S




CHARCOAL
Satin 6Z07766S



TERRITORY RED
Matt 6Z04411M



WILDERNESS® CB
Matt 6Z06271M Satin 6Z06458S



DARK GREY
Matt 6Z07767M



LUNAR ECLIPSE
Satin 6Z09203S



MONUMENT® CB
Matt 6Z08189M Satin 6Z07307S



GRAPHITE
Matt 6Z09234M



BLACK
Matt 6Z09202M

* All DGL Charisma, Duratec, Electro and Fluoraset products are supported by a DGL Alumi Shield™ warranty when applied by a DGL Accredited Powder Coater to the warranty specification on recommended project types and conditions and maintained within the DGL recommended Care and Maintenance guidelines. For more information visit dglpowders.com/warranties

DURATEC™

ELEMENTS₂ TEXTURED RANGE



- ✓ AS 3715
- ✓ AAMA 2603
- ✓ AAMA 2604

Distinctive, highly mar and scuff resistant textured finishes built to withstand the elements, delivered with warranty grade* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.




GRANITE
Flat 6E17888F



GOLD ORE
Flat 6E12270F



SURFMIST®
Flat 6E01330F CB



WHITE
Flat 6E01373F



STONE
Flat 6E13245F



NATURAL BRONZE KINETIC™
Flat 6E28341F



MONUMENT®
Flat 6E07724F CB




SILVER
Flat 6E17756F



WEATHERED STEEL
Flat 6E18340F



DARK BRONZE
Flat 6E18184F



BLACK (NIGHT SKY®)
Flat 6E09190F CB



MAGNETITE
Flat 6E17725F

DURATEC™

INTENSITY™ BRIGHT RANGE



- ✓ AS 3715
- ✓ AAMA 2603
- ✓ AAMA 2604

Fun, bright colours that produce a vibrant impact, delivered with warranty grade* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.



JUICY LIME
Satin 6N06486S



REEF
Gloss 6N05011G



TOMCAT
Gloss 6N04383G



MOONLIGHT
Satin 6N02004S



LEAF
Satin 6N06167S



COAST
Satin 6N05233S



FLAME
Gloss 6N04007G



SUNSHINE
Gloss 6N02084G



EVERGREEN
Satin 6N06005S



STORM
Satin 6N05365S





DESERT
Satin 6N04227S

DURATEC™

ETERNITY™ PEARLESCENT RANGE



Beautiful, decorative pearlescent and metallic finishes, delivered with warranty grade* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.


			
NICKEL PEARL Matt 6T17763M	LINEN PEARL Satin 6T11138S	CITI SILVER PEARL Matt 6T17024M	CHAIN PEARL Matt 6T17761M
			
CHAMPAGNE KINETIC™ Matt 6T23059M	COPPER METALLIC KINETIC™ Matt 6T27183M	SILVER PEARL KINETIC™ Satin 6T27160S	PEWTER PEARL Satin 6T17764S
			
FINE GOLD PEARL KINETIC™ Matt 6T28360M	VINTAGE COPPER KINETIC™ Matt 6T28431M	GUNMETAL METALLIC KINETIC™ Matt 6T28115M	TITANIUM PEARL KINETIC™ Satin 6T27765S
			
BRONZE PEARL KINETIC™ Satin 6T28356S	CHARCOAL PEARL Satin 6T17762S	MIDNIGHT PEARL Matt 6T17835M	ETHEREAL PEARL Matt 6T17797M

CHARISMA™

SOLID FLAT MATT COLOUR RANGE



Contemporary, solid colours in a flat matt finish for a subtle and sophisticated look, delivered with warranty grade* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.

			
SHALE GREY™ Flat 6C07672F CB	DUNE® Flat 6C07673F CB	SURFMIST® Flat 6C02276F CB	FLAT WHITE Flat 6C01200F
			
BASALT® Flat 6C07645F CB	MONUMENT® Flat 6C09239F CB	BLUEGUM® Flat 6C07910F CB	BLACK ACE Flat 6C09116F

Kinetic™ Technology is a process used to optimise the aesthetic effect of many of our pearlescent finishes. These finishes contain pearlescent and/or metallic pigments that produce a characteristic effect when bonded to powder particles. The process delivers a more consistent dispersion of particles across the surface resulting in a unique pearlescent or metallic lustre.

ELECTRO™

ANODISED LOOK RANGE



- ✓ AS 3715
- ✓ AAMA 2603
- ✓ AAMA 2604

A unique anodised look, designed to subtly change in appearance as light conditions alter in the day, delivered with warranty grade* advanced super durable polyester thermosetting powder and Kinetic® Technology. See product suitability tables for recommended usage.



NATURAL SILVER KINETIC™
Flat 6L27365F



BRILLIANCE KINETIC™
Flat 6L28281F




FRESH GOLD KINETIC™
Flat 6L22208F



GOLD PEARL KINETIC™
Flat 6L22221F



SENSATIONAL CHAMPAGNE KINETIC™
Flat 6L23187F




MEDIUM BRONZE KINETIC™
Flat 6L28183F




NEW COPPER KINETIC™
Flat 6L28432F




PALE BRONZE KINETIC™
Flat 6L28425F



VENERABLE SILVER KINETIC™
Flat 6L27621F



DARK BRONZE KINETIC™
Flat 6L28184F



BURNISHED COPPER KINETIC™
Flat 6L28185F



AGED BRASS KINETIC™
Flat 6L28430F

FLUOROSET™

POWDERCOAT RANGE



- ✓ AS 3715
- ✓ AAMA 2604
- ✓ AAMA 2603
- ✓ AAMA 2605

On-trend solid colours and beautiful pearlescent finishes, delivered with warranty grade* advanced ultra durable fluoropolymer thermosetting powder. See product suitability tables for recommended usage.

XTREME™

SOLID COLOUR RANGE



WHITE
Satin 8X01157S



SURFMIST®
Satin 8X01182S CB



BASALT®
Matt 8X07475M CB



BLACK
Matt 8X09204M



MONUMENT®
Matt 8X08148M CB



CHARCOAL
Matt 8X07297M

ALLURE™

PEARLESCENT RANGE



SILVER
Satin 8A17273S



CHAMPAGNE
Satin 8A17302S



COIN
Satin 8A17289S

DGL International part of DuluxGroup (Australia)

DGL International, Dulux Australia and Dulux NZ are premium brands all owned by DuluxGroup (Australia) Pty Ltd. The DGL International brand is used in countries where we do not own the Dulux trade mark.

DGL International premium architectural powder coatings are designed to meet architectural project requirements with a comprehensive range of colours and finishes. With coordinated manufacturing, specification and sales support across China, SE Asia, Australia and New Zealand, DGL International provides premium quality powder coatings and colour confidence for projects sourced throughout the Asia Pacific region.

Meeting Industry Standards

DGL premium architectural powder coat products are designed to meet both the global AAMA and Australian AS3715 standards for architectural aluminium finishes.

	Duratec	Charisma	Electro	Fluoraset
AAMA Standards	Meets 2604	Meets 2604	Meets 2604	Meets 2605
Coating type	Super Durable Polyester	Super Durable Polyester	Super Durable Polyester	Ultra Durable Fluoropolymer

Project suitability

Ensure you specify the right DGL powder coat product for your requirements by using the following tables to help define your project by type and exposure conditions.

Product Suitability by Project

Project, Environment and Conditions

Project Type ¹	Environment	Conditions ¹	Top Coat Choice ²			
			Duratec ³	Charisma ³	Electro ³	Fluoraset ⁴
Monumental	Exterior	Mild (C2-C3), Severe (C4-C5)				●
Prestigious Commercial	Exterior	Mild (C2-C3), Severe (C4-C5)	●	●	●	●
Commercial (> 3 levels)	Exterior	Mild (C2-C3), Severe (C4-C5)	●	●	●	●
Light Commercial (< 4 levels)	Exterior	Mild (C2-C3), Severe (C4-C5)	●	●	●	●
Residential (> 3 levels)	Exterior	Mild (C2-C3), Severe (C4-C5)	●	●	●	●
Residential (< 4 levels)	Exterior	Mild (C2-C3), Severe (C4-C5)	●	●	●	●
Non-Habitable	Exterior	Mild (C2-C3), Severe (C4-C5)	●	●	●	●
All Projects	Interior	General (C1-C2), Moderate (C3-C4)	●	●	●	●

● Alumi Shield Warranty available.

1. For more information about project conditions, corrosivity zones and corrosion rates refer to dglpowders.com/warranties

2. Primers may be required for perforated and expanded aluminium depending on project conditions and are required for all steel applications. For full system requirements refer to dglpowders.com/warranties

3. Duratec, Charisma and Electro are only suitable for coastal, river and lake salt water environments >10m from the high tide and are NOT suitable in strongly acidic or caustic environments so the pH must be between 5 and 9.

4. Fluoraset may be suitable for coastal, river and lake salt water environments <10m from the high tide, e.g. harbours (contact DGL for advice) and is NOT suitable in strongly acidic or caustic environments so the pH must be between 5 and 9.

For more information on specifying the right product for your project, visit dglpowders.com/contact-us

Warranted Performance

All DGL premium powder coat products are backed by product specific warranties on:

- Architectural aluminium, including perforated aluminium and expanded aluminium

	Warranty	Duratec	Charisma	Electro	Fluoraset
Alumi Shield™ Warranty	Aluminium Durability	25 Years	25 Years	25 Years	35 Years
	Aluminium Colour	20 Years*	15 Years	15 Years	30 Years

* Excluding Duratec Intensity – 15 Years.

Warranties are made up of a colour warranty (for fade and chalking) and durability warranty (film integrity for aluminium only). They are only valid when applied by a DGL Accredited Powder Coater to the warranty specification on recommended project types and conditions.

For more information visit dglpowders.com/warranties

DGL Accredited Powder Coaters

Only DGL Accredited Powder Coaters are able to issue our DGL Alumi Shield™ warranties after demonstrating their capability to meet stringent quality conditions and international standards.



For more information visit dglpowders.com/accredited

Care and Maintenance

Care and maintenance is essential for warranty compliance. To ensure the life of your asset is maximised and to comply with DGL Alumi Shield™ warranty requirements, a simple and regular maintenance program must be implemented and recorded in line with the DGL Care and Maintenance of Powder Coated Surfaces brochure. Visit dglpowders.com/tech-advice to view or download.

CustomColour™

Our Architectural Colour Selector cards feature our range of stocked, readily available products and colours. If you can't find the colour you require in a particular product, DGL offer a premium CustomColour™ service. Visit dglpowders.com/custom-colour

Advice Line

Our dedicated consultants can help simplify the specification process, saving you time and money by providing the right coating advice for your project. Visit dglpowders.com

Offices

Australia

Dulux Powder Coatings
115 Pound Road West, Dandenong South VIC 3175
T (61) 3 8787 4500

New Zealand

Dulux Powder Coatings
31B Hillside Road, Glenfield, Auckland 0627
T (64) 4 896 0911

East China

DGL International Powder Coatings
Room 417, Building 2,
No. 127, Lane 127, Jinwen Road, Zhuqiao Town,
Pudong New District, Shanghai 201323
T (86) 21 3825 8507

South China

DGL International Powder Coatings
Room 505, Building 10, Lihe Technology Park,
99 Tao Yuan East Road, Shishan Town, Nanhai,
Foshan, Guangdong, 528200
T (86) 21 3825 8507

DuluxGroup (Australia) Pty Ltd owns the Dulux trademarks in Australia, New Zealand, PNG and Fiji. It is not associated with and has no connection to the owners of the Dulux trademarks in other countries, nor does it sell Dulux branded products in other countries. The DGL International brand is used in those other countries. DGL International, Duralloy, Duratec, Zeus, Eternity, Elements, Intensity, Electro, Fluoraset, Kinetic, CustomColour, Charisma, Alumi Shield, E Prime, Natural White and DGL Accredited Powder Coater are trade marks of DuluxGroup (Australia) Pty Ltd. The colours shown here have been reproduced to represent actual product colours as accurately as possible. However, we recommend always confirming your colour choice against an actual powder coated swatch sample for final colour approval as varying light conditions and limitations of the printing process may affect colour tones. ZINCALUME®, COLORBOND®, BlueScope and ® colour names are registered trade marks of BlueScope Steel Limited. ™ colour names are trade marks of BlueScope Steel Limited. Copyright 2025 DGL International Pty Ltd.